



33 SPORT FISH CRUISER



SPECIFICATIONS

LOA: 33' / 10.1 m
 Beam: 10' 9" / 3.3 m
 Weight, dry: 12,000 lbs. / 5,443 kgs.
 Fuel capacity: 285 gal. / 1,079 L
 Deadrise: 20°
 Freshwater capacity: 50 gal. / 189 L
 Sleeping capacity: 4
 Recommended power:
 Twin Mercury 275 Verados
 Speed: 50+ MPH
 Hull Warranty: 6 Years
 Cruise (Fuel) @ 38 MPH: 26 GPH
 WOT (Fuel) w/Twin 275 Verados: 50 MPH @ 57 GPH
 Maximum Cruising Range: 375 miles @ 90% Capacity

POWER OPTIONS

- Twin Mercury 250 Optimax XS
- Twin Mercury 300 Optimax XS
- Twin Mercury 250 Verados
- Twin Mercury 275 Verados
- Twin Mercury 300 Verados



33 SPORT FISH CRUISER

STANDARD EQUIPMENT

Aft cabin with comforter and pillows
Anchor Locker
Anchor, custom polished stainless steel, integrated, w/
windlass
Bait prep station at transom
Batteries (2) w/switches, custom heavy duty mounting
brackets and battery charger (30 AMP)
Bilge pumps (2) 1200 GPH
Cabin, air conditioning
Cabin door, sliding
Cabin interior with medium cherry wood trim
Cabin lighting
Canvas, front & side enclosure and aft drop curtain with
roll up door
Cleats, heavy duty (8")
Cockpit lighting
Combination fishbox / livewell at transom
Compass, electric
Corian countertops and table
Courtesy lights in cockpit
Cup holders in cockpit and console, stainless steel
Dash with full instrumentation & electronics area
Deluxe center helm chair
Dockside pressure water hook-up
Fighting chair reinforcement
Flat screen TV/DVD combination
Floor fish boxes (2) 150 QT each
Forward cabin with V-berth and pillows
Fuel tank, heavy duty, baffled, 3/16" thick aluminum;
foamed, glassed and bolted in position w/ stainless steel
pickups, 285 gallon total capacity
GPS speedometer and Mercury Smartcraft gauges
Galley w/ sink, microwave, refrigerator / freezer & single
burner electric stove
Generator, 5.0 gas
Graphics, standard selection
Half tower
Hand laid composite hull and deck manufactured w/multi-
directional fiberglass, w/high density coring and Inter-
plastic vinyl ester resin and w/hull and deck laminated,
thru-bolted, screwed and sealed together w/heavy duty
marine sealant/adhesive
Hanging locker, cedar lined
Head, enclosed fiberglass, VacuFlush; stand up shower

Horns, electric
Hot water heater, 6 gallons
Midship livewell center 100 Qt (STBD Side)
Midship tackle storage center
Navigation lights
Positive lift hull, twin step
Propellers, (2) polished stainless steel
Rod holders, gold tone
Reading lights in forward and aft cabins
Rod storage under gunwale, lockable
Rubrail with stainless steel insert
Saltwater washdown
Seating for 8 in cockpit
Shore power with AC / Heat, US or European
Stereo w/ CD and remote
Table in cabin, Hi-Lo
Throttles w/drive trim on throttle
Transom shower
Trim tab indicators, mechanical
Trim tabs, heavy duty hydraulic, offshore hi-performance

OPTIONAL EQUIPMENT

Aft Cockpit Cover - Fastback
Autopilot, TR-1 Gladiator
Canvas Helm Seat Cover
CE, Certification Kit
Depth Gauge
Fresh Water Washdown
Halogen Light (Additional, Front-Top Mounted)
Life Jacket, Storage in Half Tower
Oscillating Fans in Cabin (2)
Outrigger Plates on Tower
Pop-Up Bow Light
Remote Spotlight on Half Tower
Rod Holders, Kingfish (2) Angled on T-Top
Sirius Satellite Radio
Swim Ladder with Bracket Mount
Teak and Holly Cabin Floor



33 SPORT FISH CRUISER



Fountain Powerboats Performance Disclaimer

Be advised that performance figures are merely an estimate, not a guarantee, of what you can expect based on our factory testing program. The above listed speeds are verified by radar or GPS or both with one test driver and less than a forty (40) gallon fuel load. Boat speeds and range can vary depending on weight, fuel load, number of passengers, air temperature, altitude, humidity, barometric pressure, water conditions, wind, engine tuning, horsepower (HP) variance from engine to engine, propellers, and numerous other factors beyond our control. Fountain Powerboats reserves the right to make changes on standard and optional equipment at any time without prior notice. Useable fuel in a gas tank may be slightly less than the advertised fuel capacity. Speed variance can be up to 4% of the top speed.

Fountain Powerboats Options Disclaimer

Fountain Powerboats reserves the right to make changes on standard and optional equipment at any time without prior notice. Some options may have changed since the print date of this material.

Revised 2007